









<b>Section Four</b>		
<i>Cavity Inserts &amp; Components</i>		
<b>Round Mate Micro Inserts and Components</b>		
<b>3"</b>	Round Mate Micro Inserts	4.4
	Round Mate Micro Insert Components	4.5-4.5
<b>4"</b>	Round Mate Micro Inserts	4.8
	Round Mate Micro Insert Components	4.9-4.10
<b>Original Round Mate Inserts and Components</b>		
<b>4"</b>	Round Mate Inserts	4.12
	Round Mate Insert Components	4.13-4.15
<b>6"</b>	Round Mate Inserts	4.16
	Round Mate Insert Components	4.17-4.20
<b>8"</b>	Round Mate Inserts	4.22
	Round Mate Insert Components	4.23-4.26
<b>Systems 2 Inserts and Components</b>		
<b>11"</b>	System 2 Laminated Inserts	4.28
	System 2 Insert Components	4.29-4.30
<b>15"</b>	System 2 Laminated Inserts	4.32
	System 2 Insert Components	4.33-4.34
<b>18"</b>	System 2 Laminated Inserts	4.36
	System 2 Insert Components	4.37-4.38
<b>24"</b>	System 2 Laminated Inserts	4.40
	System 2 Insert Components	4.41-4.42



Notes:

## Round Mate Inserts & Components






**AVAILABLE STEEL**

* CODE	STEEL
3	P-20 PRE-HARD 32/34 Rc
4	S-7 ANNEALED
5	H-13 ANNEALED
6	420SS ANNEALED
8	420SS PRE-HARD 32/35 Rc

\* USE CODE NUMBER ABOVE TO COMPLETE CATALOG NUMBER FOR INSERTS.

**GRIND STOCK**





H-13, S-7 & 420SS  
HEAT TREATABLE INSERTS  
HAVE .005 GRIND STOCK  
LEFT ON SURFACES SHOWN  
FOR GRIND AFTER HEAT TREAT

# 3" ROUND MATE®

## Micro Insert Components





### CORE RETAINER PLATE




NOTE: MUST ALWAYS BE USED WITH INSERT

MAT'L 4140

### EJECTOR PLATES



EJECTOR PLATE



EJECTOR RETAINER PLATE

MAT'L 4140

### O-RINGS



O-RING SET FOR 3" INSERT

SET INCLUDES 2 O-RINGS FOR ONE INSERT

BUNA-N

**RMC-3015**

2 SETS ARE INCLUDED WITH INSERT SET

O-RING SET FOR 3" INSERT

SET INCLUDES 2 O-RINGS FOR ONE INSERT

VITON - HI TEMP

**RMC-3017**

ARE AVAILABLE UPON REQUEST

O-RING SET FOR 3" INSERT

PACKAGE OF 10 O-RING SETS

BUNA-N

**RMC-3016**

ARE AVAILABLE UPON REQUEST

O-RING SET FOR 3" INSERT

PACKAGE OF 4 O-RING SETS



VITON - HI TEMP

**RMC-3018**

ARE AVAILABLE UPON REQUEST

### WATER DAM

1 SUPPLIED WITH EACH INSERT





MAT'L 416SS

# 3" ROUND MATE®

## Micro Insert Components

### WATER BAFFLE (Packs of 10)



NYLON PLASTIC, NOT FOR HIGH TEMPERATURE APPLICATIONS



A DIM.	FOR USE WITH 3", 4" AND 6" ROUND MATE INSERTS
.312	<b>RMC-0080</b>
.500	<b>RMC-0081</b>

### SAFETY STRAP

1 SUPPLIED WITH EACH INSERT







**RMC-0017**

PACKAGE OF 10

MAT'L NYLON

Notes:



**AVAILABLE STEEL**


* CODE	STEEL
3	P-20 PRE-HARD 32/34 Rc
4	S-7 ANNEALED
5	H-13 ANNEALED
6	420SS ANNEALED
8	420SS PRE-HARD 32/35 Rc

\* USE CODE NUMBER ABOVE TO COMPLETE CATALOG NUMBER FOR INSERTS.





# 4" ROUND MATE®

## Micro Insert Components





**CORE RETAINER PLATE**

**MSC-4001**

NOTE: MUST ALWAYS BE USED WITH INSERT. MAT'L 4140

**EJECTOR PLATE ASSEMBLY**







**RMC-4003** **RMC-4002**

EJECTOR PLATE EJECTOR RETAINER PLATE MAT'L 4140

**SLEEVE EJECTION CORE RETAINER PLATES**

OPTIONAL





2 PLATES REQ'D FOR ONE ASSEMBLY

**MSC-4004**

MAT'L 4140

**O-RINGS**





<p>O-RING SET FOR 4" INSERT</p>  <p>BUNA-N</p> <p style="text-align: center;"><b>RMC-4015</b></p> <p>2 SETS ARE INCLUDED WITH INSERT SET</p>	<p>SET INCLUDES 2 O-RINGS FOR ONE INSERT</p>  <p>VITON - HI TEMP</p> <p style="text-align: center;"><b>RMC-4017</b></p> <p>ARE AVAILABLE UPON REQUEST</p>
<p>O-RING SET FOR 4" INSERT</p>  <p>BUNA-N</p> <p style="text-align: center;"><b>RMC-4016</b></p> <p>PACKAGE OF 10 O-RING SETS</p> <p>ARE AVAILABLE UPON REQUEST</p>	<p>SET INCLUDES 2 O-RINGS FOR ONE INSERT</p>  <p>VITON - HI TEMP</p> <p style="text-align: center;"><b>RMC-4018</b></p> <p>PACKAGE OF 4 O-RING SETS</p> <p>ARE AVAILABLE UPON REQUEST</p>

# 4" ROUND MATE®

## Micro Insert Components

### WATER BAFFLE (Packs of 10)



NYLON PLASTIC, NOT FOR HIGH TEMPERATURE APPLICATIONS



A DIM.	FOR USE WITH 3", 4" AND 6" ROUND MATE INSERTS
.312	<b>RMC-0080</b>
.500	<b>RMC-0081</b>

### WATER DAM


1 SUPPLIED WITH EACH INSERT



<b>RMC-0010</b>
PACKAGE OF 2 WITH WRENCH AND SAFETY STRAP
MAT'L 416SS


### SLEEVE EJECTION SUPPORT PILLAR

OPTIONAL



MOLD MAKER MAY TRIM SUPPORT PILLARS TO LENGTH FOR CUSTOM APPLICATIONS

SET SCREW INCLUDED



MAT'L 1144



# 4" ROUND MATE®

## Micro Insert Components



### SAFETY STRAP

1 SUPPLIED WITH EACH INSERT





RMC-0017

PACKAGE OF 10






MAT'L NYLON

### FITTED STORAGE BOX



RMC-6010


FOAM LINED



**AVAILABLE STEEL**


* CODE	STEEL
3	P-20 PRE-HARD 32/34 Rc
4	S-7 ANNEALED
5	H-13 ANNEALED
6	420SS ANNEALED
8	420SS PRE-HARD 32/35 Rc

\* USE CODE NUMBER ABOVE TO COMPLETE CATALOG NUMBER FOR INSERTS.





# 4" ROUND MATE®

## Standard Insert Components





### CORE RETAINER PLATE




NOTE: MUST ALWAYS BE USED WITH INSERT.

MAT'L 4140

### EJECTOR PLATE ASSEMBLY




EJECTOR PLATE




EJECTOR RETAINER PLATE

MAT'L 4140

### QUICK CONNECT EJECTOR PLATE





OPTIONAL




FOR USE WITH SINGLE POSITION MASTER FRAME

MAT'L 4140

### QUICK EJECTOR CONNECT




MOUNTS TO MOLDING MACHINE K.O. ROD




MOUNTS TO INSERT SET EJECTOR PLATE

### SLEEVE EJECTION CORE RETAINER PLATES




OPTIONAL



MAT'L 4140


### O-RINGS



<p>O-RING SET FOR 4" INSERT</p>  <p>BUNA-N</p>	<p>SET INCLUDES 2 O-RINGS FOR ONE INSERT</p>	<p>O-RING SET FOR 4" INSERT</p>  <p>VITON - HI TEMP</p>	<p>SET INCLUDES 2 O-RINGS FOR ONE INSERT</p>
<p><b>RMC-4015</b></p> <p>2 SETS ARE INCLUDED WITH INSERT SET</p>		<p><b>RMC-4017</b></p> <p>ARE AVAILABLE UPON REQUEST</p>	
<p>O-RING SET FOR 4" INSERT</p>  <p>BUNA-N</p>	<p>PACKAGE OF 10 O-RING SETS</p>	<p>O-RING SET FOR 4" INSERT</p>  <p>VITON - HI TEMP</p>	<p>PACKAGE OF 4 O-RING SETS</p>
<p><b>RMC-4016</b></p> <p>ARE AVAILABLE UPON REQUEST</p>		<p><b>RMC-4018</b></p> <p>ARE AVAILABLE UPON REQUEST</p>	



### SLEEVE EJECTION SUPPORT PILLAR

OPTIONAL



MOLD MAKER MAY TRIM SUPPORT PILLARS TO LENGTH FOR CUSTOM APPLICATIONS



SET SCREW INCLUDED

<p>1/2 HEX</p>  <p>5/16-18 L ±.0005</p>	<p>5/8 HEX</p>  <p>5/16-18 L ±.0005</p>
"L"=2.7520	"L"=5.1270
<b>RMC-0020</b>	<b>RMC-0025</b>
"L"=3.7520	"L"=6.1270
<b>RMC-0021</b>	<b>RMC-0027</b>

MAT'L 1144

### WATER BAFFLE (Packs of 10)


NYLON PLASTIC, NOT FOR HIGH TEMPERATURE APPLICATIONS



A DIM.	FOR USE WITH 3", 4" AND 6" ROUND MATE INSERTS
.312	<b>RMC-0080</b>
.500	<b>RMC-0081</b>



# 4" ROUND MATE®

## Standard Insert Components





### WATER DAM

1 SUPPLIED WITH EACH INSERT



### SAFETY STRAP


1 SUPPLIED WITH EACH INSERT




PACKAGE OF 10

MAT'L NYLON

### RETURN PIN EXTENSIONS








OPTIONAL



MAT'L 4142

### FITTED STORAGE BOX










**AVAILABLE STEEL**


* CODE	STEEL
3	P-20 PRE-HARD 32/34 Rc
4	S-7 ANNEALED
5	H-13 ANNEALED
6	420SS ANNEALED
8	420SS PRE-HARD 32/35 Rc

\* USE CODE NUMBER ABOVE TO COMPLETE CATALOG NUMBER FOR INSERTS.





# 6" ROUND MATE®

## Standard Insert Components




**CORE RETAINER PLATE**





**RMC-6001**

FOR USE WITH **EX** MASTER FRAMES MAT'L 4140

**EJECTOR PLATE ASSEMBLY**








**RMC-6003** **RMC-6002**

EJECTOR PLATE EJECTOR RETAINER PLATE MAT'L 4140

**QUICK CONNECT EJECTOR PLATE**




OPTIONAL

**RMC-6006** **RMC-60061**

FOR USE WITH **SINGLE POSITION** MASTER FRAME MAT'L 4140



**QUICK EJECTOR CONNECT**

**RMC-0015** **RMC-0016**

**CORE RETAINER PLATE**

OPTIONAL





**RMC-6005**


ATTACHES TO "B" INSERT TO RETAIN CORE PINS

FOR USE WITH **SINGLE POSITION** MASTER FRAME MAT'L 4140

### SLEEVE EJECTION CORE RETAINER PLATES



OPTIONAL





2 PLATES REQ'D FOR ONE ASSEMBLY

**RMC-6004**


MAT'L 4140

### WATER MANIFOLD ASSEMBLY



**RMC-6081**


WATER MANIFOLD PLATE  
MAT'L 420 SS



**RMC-6080**

WATER CORE RETAINER PLATE  
MAT'L 4140


### TOP CLAMP PLATE



ATTACHES TO "A" INSERT FOR CUSTOM


OPTIONAL

REMOVE SPRUE BUSHING DISC/EXT. NOZZLE DISC FROM MASTER FRAME



**RMC-6007**


FOR USE WITH **SINGLE POSITION** MASTER FRAME



**RMC-6008**

MAT'L 4140

### O-RINGS



O-RING SET FOR 6" INSERT

BUNA-N

SET INCLUDES 2 O-RINGS FOR ONE INSERT

**RMC-6015**

2 SETS ARE INCLUDED WITH INSERT SET

O-RING SET FOR 6" INSERT

VITON - HI TEMP

SET INCLUDES 2 O-RINGS FOR ONE INSERT

**RMC-6017**

ARE AVAILABLE UPON REQUEST

O-RING SET FOR 6" INSERT

BUNA-N

PACKAGE OF 10 O-RING SETS

**RMC-6016**

ARE AVAILABLE UPON REQUEST

O-RING SET FOR 6" INSERT

VITON - HI TEMP


PACKAGE OF 4 O-RING SETS

**RMC-6018**

ARE AVAILABLE UPON REQUEST



# 6" ROUND MATE®

## Standard Insert Components



### WATER BAFFLE (Packs of 10)



NYLON PLASTIC, NOT FOR HIGH TEMPERATURE APPLICATIONS



A DIM.	FOR USE WITH 3", 4" AND 6" ROUND MATE INSERTS
.312	<b>RMC-0080</b>
.500	<b>RMC-0081</b>

### WATER DAM



1 SUPPLIED WITH EACH INSERT



<b>RMC-0010</b>
PACKAGE OF 2 WITH WRENCH AND SAFETY STRAP
MAT'L 416SS

### SAFETY STRAP

1 SUPPLIED WITH EACH INSERT




PACKAGE OF 10

MAT'L NYLON

### SLEEVE EJECTION SUPPORT PILLAR

OPTIONAL




MOLD MAKER MAY TRIM SUPPORT PILLARS TO LENGTH FOR CUSTOM APPLICATIONS

SET SCREW INCLUDED

5/8 HEX	5/16-18
"L"=2.6270	"L"=4.1270
<b>RMC-00221</b>	<b>RMC-00231</b>
"L"=3.1270	"L"=4.6270
<b>RMC-0022</b>	<b>RMC-0024</b>
"L"=3.6270	"L"=5.1270
<b>RMC-0023</b>	<b>RMC-0025</b>
	"L"=5.6270
	<b>RMC-0026</b>


MAT'L 1144

### SUPPORT PILLAR




MOLD MAKER MAY TRIM  
SUPPORT PILLARS TO  
LENGTH FOR CUSTOM  
APPLICATIONS

SET SCREW INCLUDED



"L"=3.3770	"L"=4.8770
<b>RMC-80601</b>	<b>RMC-80603</b>
"L"=3.8770	"L"=5.3770
<b>RMC-80602</b>	<b>RMC-80604</b>
"L"=4.3770	"L"=5.8770
<b>RMC-8060</b>	<b>RMC-8061</b>
	"L"=6.3770
	<b>RMC-8062</b>

### RETURN PIN EXTENSIONS




OPTIONAL

<b>RMC-6040</b>	<b>RMC-6041</b>	<b>RMC-6042</b>




MAT'L 4142

### FITTED STORAGE BOX



<p>FOR 6" INSERTS</p>	<p>FOR 6" INSERTS w/ TALLER STACK UP</p>
<b>RMC-6010</b>	<b>RMC-6011</b>
FOAM LINED	





Notes:



**AVAILABLE STEEL**


* CODE	STEEL
3	P-20 PRE-HARD 32/34 Rc
4	S-7 ANNEALED
5	H-13 ANNEALED
6	420SS ANNEALED
8	420SS PRE-HARD 32/35 Rc

\* USE CODE NUMBER ABOVE TO COMPLETE CATALOG NUMBER FOR INSERTS.





# 8" ROUND MATE®

## Standard Insert Components






**CORE RETAINER PLATE**

**RMC-8001**

FOR USE WITH **EX** MASTER FRAMES MAT'L 4140

**EJECTOR PLATE ASSEMBLY**







**RMC-8003** **RMC-8002**

EJECTOR PLATE EJECTOR RETAINER PLATE MAT'L 4140

**QUICK CONNECT EJECTOR PLATE**




OPTIONAL

**RMC-8006**

FOR USE WITH **SINGLE POSITION** MASTER FRAME MAT'L 4140


**QUICK EJECTOR CONNECT**


**RMC-0015** **RMC-0016**

**CORE RETAINER PLATE**

OPTIONAL




ATTACHES TO "B" INSERT TO RETAIN CORE PINS




**RMC-8005**

FOR USE WITH **SINGLE POSITION** MASTER FRAME MAT'L 4140

### SLEEVE EJECTION CORE RETAINER PLATES





OPTIONAL



MAT'L 4140


### WATER MANIFOLD ASSEMBLY



**RMC-8081**  
WATER MANIFOLD PLATE  
MAT'L 420 SS

**RMC-8080**  
WATER CORE RETAINER PLATE  
MAT'L 4140


### TOP CLAMP PLATE



ATTACHES TO "A" INSERT FOR CUSTOM

OPTIONAL



REMOVE SPRUE BUSHING DISC/EXT. NOZZLE DISC FROM MASTER FRAME




FOR USE WITH **SINGLE POSITION** MASTER FRAME

MAT'L 4140

### O-RINGS





# 8" ROUND MATE®



## Standard Insert Components

### WATER BAFFLE (Packs of 10)



NYLON PLASTIC, NOT FOR HIGH TEMPERATURE APPLICATIONS



A DIM.	FOR USE WITH 8" ROUND MATE INSERT
.312	<b>RMC-0085</b>
.500	<b>RMC-0086</b>

### WATER DAM

1 SUPPLIED WITH EACH INSERT





**RMC-0011**

PACKAGE OF 2 WITH WRENCH AND SAFETY STRAP

MAT'L 416SS

### SAFETY STRAP

1 SUPPLIED WITH EACH INSERT




**RMC-0017**

PACKAGE OF 10

MAT'L NYLON

### SLEEVE EJECTION SUPPORT PILLAR

OPTIONAL




MOLD MAKER MAY TRIM SUPPORT PILLARS TO LENGTH FOR CUSTOM APPLICATIONS

SET SCREW INCLUDED

5/8 HEX	5/16-18
"L"=3.6270	"L"=5.1270
<b>RMC-0023</b>	<b>RMC-0025</b>
"L"=4.1270	"L"=5.6270
<b>RMC-00231</b>	<b>RMC-0026</b>
"L"=4.6270	"L"=6.1270
<b>RMC-0024</b>	<b>RMC-0027</b>
	"L"=6.6270
	<b>RMC-0028</b>


MAT'L 1144

### SUPPORT PILLAR




MOLD MAKER MAY TRIM  
SUPPORT PILLARS TO  
LENGTH FOR CUSTOM  
APPLICATIONS

SET SCREW INCLUDED



"L"=4.8770	"L"=6.3770
<b>RMC-80603</b>	<b>RMC-8062</b>
"L"=5.3770	"L"=6.8770
<b>RMC-80604</b>	<b>RMC-8063</b>
"L"=5.8770	"L"=7.3770
<b>RMC-8061</b>	<b>RMC-8064</b>

### RETURN PIN EXTENSIONS



OPTIONAL

<b>RMC-8040</b>	<b>RMC-8041</b>	<b>RMC-8042</b>

MAT'L 4142

### FITTED STORAGE BOX

